



## ONC HIT Certification Program Test Results Summary for 2014 Edition EHR Certification

### Part 1: Product and Developer Information

#### 1.1 Certified Product Information

**Product Name:** eTX HEMI  
**Product Version:** Version 7.1  
**Domain:** Inpatient  
**Test Type:** Modular EHR

#### 1.2 Developer/Vendor Information

**Developer/Vendor Name:** eTransX  
**Address:** 214 Overlook Circle, Suite 170 Brentwood TN 37027  
**Website:** [www.eTransX.com](http://www.eTransX.com)  
**Email:** [info@etransx.com](mailto:info@etransx.com)  
**Phone:** 888-221-4971  
**Developer/Vendor Contact:** [tomw@etransx.com](mailto:tomw@etransx.com)



## Part 2: ONC-Authorized Certification Body Information


### 2.1 ONC-Authorized Certification Body Information

**ONC-ACB Name:** Drummond Group  
**Address:** 13359 North Hwy 183, Ste B-406-238, Austin, TX 78750  
**Website:** [www.drummondgroup.com](http://www.drummondgroup.com)  
**Email:** [ehr@drummondgroup.com](mailto:ehr@drummondgroup.com)  
**Phone:** 817-294-7339  
**ONC-ACB Contact:** Bill Smith

This test results summary is approved for public release by the following ONC-Authorized Certification Body Representative:

Bill Smith  
**ONC-ACB Authorized Representative**

Certification Committee Chair  
**Function/Title**

  
8/29/2014  
**Signature and Date**

### 2.2 Gap Certification

The following identifies criterion or criteria certified via gap certification

§170.314			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(17)	<input type="checkbox"/> (d)(5)	<input type="checkbox"/> (d)(9)
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (b)(5)*	<input type="checkbox"/> (d)(6)	<input type="checkbox"/> (f)(1)
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (d)(1)	<input type="checkbox"/> (d)(8)	

\*Gap certification allowed for Inpatient setting only

No gap certification



### 2.3 Inherited Certification

The following identifies criterion or criteria certified via inherited certification

§170.314			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(14)	<input type="checkbox"/> (c)(3)	<input type="checkbox"/> (f)(1)
<input type="checkbox"/> (a)(2)	<input type="checkbox"/> (a)(15)	<input type="checkbox"/> (d)(1)	<input type="checkbox"/> (f)(2)
<input type="checkbox"/> (a)(3)	<input type="checkbox"/> (a)(16) <i>Inpt. only</i>	<input type="checkbox"/> (d)(2)	<input type="checkbox"/> (f)(3)
<input type="checkbox"/> (a)(4)	<input type="checkbox"/> (a)(17) <i>Inpt. only</i>	<input type="checkbox"/> (d)(3)	<input type="checkbox"/> (f)(4) <i>Inpt. only</i>
<input type="checkbox"/> (a)(5)	<input type="checkbox"/> (b)(1)	<input type="checkbox"/> (d)(4)	<input type="checkbox"/> (f)(5) <i>Optional &amp; Amb. only</i>
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (b)(2)	<input type="checkbox"/> (d)(5)	
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (b)(3)	<input type="checkbox"/> (d)(6)	<input type="checkbox"/> (f)(6) <i>Optional &amp; Amb. only</i>
<input type="checkbox"/> (a)(8)	<input type="checkbox"/> (b)(4)	<input type="checkbox"/> (d)(7)	
<input type="checkbox"/> (a)(9)	<input type="checkbox"/> (b)(5)	<input type="checkbox"/> (d)(8)	<input type="checkbox"/> (g)(1)
<input type="checkbox"/> (a)(10)	<input type="checkbox"/> (b)(6) <i>Inpt. only</i>	<input type="checkbox"/> (d)(9) <i>Optional</i>	<input type="checkbox"/> (g)(2)
<input type="checkbox"/> (a)(11)	<input type="checkbox"/> (b)(7)	<input type="checkbox"/> (e)(1)	<input type="checkbox"/> (g)(3)
<input type="checkbox"/> (a)(12)	<input type="checkbox"/> (c)(1)	<input type="checkbox"/> (e)(2) <i>Amb. only</i>	<input type="checkbox"/> (g)(4)
<input type="checkbox"/> (a)(13)	<input type="checkbox"/> (c)(2)	<input type="checkbox"/> (e)(3) <i>Amb. only</i>	

No inherited certification



**Part 3: NVLAP-Accredited Testing Laboratory Information**

**Report Number:** [SG-08192014-2909\\_IN1](#)

**Test Date(s):** [8/19/2014](#)

**3.1 NVLAP-Accredited Testing Laboratory Information**

**ATL Name:** Drummond Group EHR Test Lab  
**Accreditation Number:** [NVLAP Lab Code 200979-0](#)  
**Address:** 13359 North Hwy 183, Ste B-406-238, Austin, TX 78750  
**Website:** [www.drummondgroup.com](http://www.drummondgroup.com)  
**Email:** [ehr@drummondgroup.com](mailto:ehr@drummondgroup.com)  
**Phone:** 512-335-5606  
**ATL Contact:** Beth Morrow

For more information on scope of accreditation, please reference [NVLAP Lab Code 200979-0](#).

Part 3 of this test results summary is approved for public release by the following Accredited Testing Laboratory Representative:

[Sonia Galvan](#)

**ATL Authorized Representative**

[8/29/2014](#)

**Signature and Date**

Test Proctor

**Function/Title**

[Houston, TX](#)

**Location Where Test Conducted**

**3.2 Test Information**

**3.2.1 Additional Software Relied Upon for Certification**

Additional Software	Applicable Criteria	Functionality provided by Additional Software



Additional Software	Applicable Criteria	Functionality provided by Additional Software
---------------------	---------------------	---

No additional software required

### 3.2.2 Test Tools

Test Tool	Version
<input type="checkbox"/> Cypress	2.4.1
<input type="checkbox"/> ePrescribing Validation Tool	1.0.4
<input type="checkbox"/> HL7 CDA Cancer Registry Reporting Validation Tool	1.0.3
<input type="checkbox"/> HL7 v2 Electronic Laboratory Reporting (ELR) Validation Tool	1.8
<input checked="" type="checkbox"/> HL7 v2 Immunization Information System (IIS) Reporting Validation Tool	1.8
<input type="checkbox"/> HL7 v2 Laboratory Results Interface (LRI) Validation Tool	1.7
<input type="checkbox"/> HL7 v2 Syndromic Surveillance Reporting Validation Tool	1.7
<input type="checkbox"/> Transport Testing Tool	179
<input type="checkbox"/> Direct Certificate Discovery Tool	3.0.2

No test tools required

### 3.2.3 Test Data

Alteration (customization) to the test data was necessary and is described in Appendix [*insert appendix letter*]

No alteration (customization) to the test data was necessary

### 3.2.4 Standards

#### 3.2.4.1 Multiple Standards Permitted

The following identifies the standard(s) that has been successfully tested where more than one standard is permitted

Criterion #	Standard Successfully Tested	
(a)(8)(ii)(A)(2)	<input type="checkbox"/> §170.204(b)(1) HL7 Version 3 Implementation Guide: URL-Based Implementations of the Context-Aware Information Retrieval (Infobutton) Domain	<input type="checkbox"/> §170.204(b)(2) HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton) Service-Oriented Architecture Implementation Guide



Criterion #	Standard Successfully Tested	
(a)(13)	<input type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release	<input type="checkbox"/> §170.207(j) HL7 Version 3 Standard: Clinical Genomics; Pedigree
(a)(15)(i)	<input type="checkbox"/> §170.204(b)(1) HL7 Version 3 Implementation Guide: URL-Based Implementations of the Context-Aware Information Retrieval (Infobutton) Domain	<input type="checkbox"/> §170.204(b)(2) HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton) Service-Oriented Architecture Implementation Guide
(a)(16)(ii)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 3 (RFC 1305)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 4 (RFC 5905)
(b)(2)(i)(A)	<input type="checkbox"/> §170.207(i) The code set specified at 45 CFR 162.1002(c)(2) (ICD-10-CM) for the indicated conditions	<input type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release
(b)(7)(i)	<input type="checkbox"/> §170.207(i) The code set specified at 45 CFR 162.1002(c)(2) (ICD-10-CM) for the indicated conditions	<input type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release
(e)(1)(i)	Annex A of the FIPS Publication 140-2 <i>[list encryption and hashing algorithms]</i> <input type="text"/> <input type="text"/>	
(e)(1)(ii)(A)(2)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 3 (RFC 1305)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 4 (RFC 5905)
(e)(3)(ii)	Annex A of the FIPS Publication 140-2 <i>[list encryption and hashing algorithms]</i> <input type="text"/> <input type="text"/>	
Common MU Data Set (15)	<input type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release	<input type="checkbox"/> §170.207(b)(2) The code set specified at 45 CFR 162.1002(a)(5) (HCPCS and CPT-4)



Criterion #	Standard Successfully Tested
-------------	------------------------------

None of the criteria and corresponding standards listed above are applicable

**3.2.4.2 Newer Versions of Standards**

The following identifies the newer version of a minimum standard(s) that has been successfully tested

Newer Version	Applicable Criteria

No newer version of a minimum standard was tested

**3.2.5 Optional Functionality**

Criterion #	Optional Functionality Successfully Tested
<input type="checkbox"/> (a)(4)(iii)	Plot and display growth charts
<input type="checkbox"/> (b)(1)(i)(B)	Receive summary care record using the standards specified at §170.202(a) and (b) (Direct and XDM Validation)
<input type="checkbox"/> (b)(1)(i)(C)	Receive summary care record using the standards specified at §170.202(b) and (c) (SOAP Protocols)
<input type="checkbox"/> (b)(2)(ii)(B)	Transmit health information to a Third Party using the standards specified at §170.202(a) and (b) (Direct and XDM Validation)
<input type="checkbox"/> (b)(2)(ii)(C)	Transmit health information to a Third Party using the standards specified at §170.202(b) and (c) (SOAP Protocols)
<input type="checkbox"/> (f)(3)	Ambulatory setting only – Create syndrome-based public health surveillance information for transmission using the standard specified at §170.205(d)(3) (urgent care visit scenario)
<input type="checkbox"/> Common MU Data Set (15)	Express Procedures according to the standard specified at §170.207(b)(3) (45 CFR162.1002(a)(4): Code on Dental Procedures and Nomenclature)
<input type="checkbox"/> Common MU Data Set (15)	Express Procedures according to the standard specified at §170.207(b)(4) (45 CFR162.1002(c)(3): ICD-10-PCS)

No optional functionality tested



**3.2.6 2014 Edition Certification Criteria\* Successfully Tested**

Criteria #	Version		Criteria #	Version	
	TP**	TD***		TP	TD
<input type="checkbox"/> (a)(1)	1.2	1.5	<input type="checkbox"/> (c)(3)	1.6	1.6
<input type="checkbox"/> (a)(2)	1.2		<input type="checkbox"/> (d)(1)	1.2	
<input type="checkbox"/> (a)(3)	1.2	1.4	<input type="checkbox"/> (d)(2)	1.5	
<input type="checkbox"/> (a)(4)	1.4	1.3	<input type="checkbox"/> (d)(3)	1.3	
<input type="checkbox"/> (a)(5)	1.4	1.3	<input type="checkbox"/> (d)(4)	1.3	
<input type="checkbox"/> (a)(6)	1.3	1.4	<input type="checkbox"/> (d)(5)	1.2	
<input type="checkbox"/> (a)(7)	1.3	1.3	<input type="checkbox"/> (d)(6)	1.2	
<input type="checkbox"/> (a)(8)	1.2		<input type="checkbox"/> (d)(7)	1.2	
<input type="checkbox"/> (a)(9)	1.3	1.3	<input type="checkbox"/> (d)(8)	1.2	
<input type="checkbox"/> (a)(10)	1.2	1.4	<input type="checkbox"/> (d)(9) <i>Optional</i>	1.2	
<input type="checkbox"/> (a)(11)	1.3		<input type="checkbox"/> (e)(1)	1.8	1.5
<input type="checkbox"/> (a)(12)	1.3		<input type="checkbox"/> (e)(2) <i>Amb. only</i>	1.2	1.6
<input type="checkbox"/> (a)(13)	1.2		<input type="checkbox"/> (e)(3) <i>Amb. only</i>	1.3	
<input type="checkbox"/> (a)(14)	1.2		<input type="checkbox"/> (f)(1)	1.2	1.2
<input type="checkbox"/> (a)(15)	1.5		<input checked="" type="checkbox"/> (f)(2)	1.3	1.7.1
<input type="checkbox"/> (a)(16) <i>Inpt. only</i>	1.3	1.2	<input type="checkbox"/> (f)(3)	1.3	1.7
<input type="checkbox"/> (a)(17) <i>Inpt. only</i>	1.2		<input type="checkbox"/> (f)(4) <i>Inpt. only</i>	1.3	1.7
<input type="checkbox"/> (b)(1)	1.7	1.4	<input type="checkbox"/> (f)(5) <i>Optional &amp; Amb. only</i>	1.2	1.2
<input type="checkbox"/> (b)(2)	1.4	1.6	<input type="checkbox"/> (f)(6) <i>Optional &amp; Amb. only</i>	1.3	1.0.3
<input type="checkbox"/> (b)(3)	1.4	1.2	<input type="checkbox"/> (g)(1)	1.7	1.9
<input type="checkbox"/> (b)(4)	1.3	1.4	<input type="checkbox"/> (g)(2)	1.7	1.9
<input type="checkbox"/> (b)(5)	1.4	1.7	<input type="checkbox"/> (g)(3)	1.3	
<input type="checkbox"/> (b)(6) <i>Inpt. only</i>	1.3	1.7	<input checked="" type="checkbox"/> (g)(4)	1.2	
<input type="checkbox"/> (b)(7)	1.4	1.6			
<input type="checkbox"/> (c)(1)	1.6	1.6			
<input type="checkbox"/> (c)(2)	1.6	1.6			

No criteria tested

\*For a list of the 2014 Edition Certification Criteria, please reference <http://www.healthit.gov/certification> (navigation: 2014 Edition Test Method)

\*\*Indicates the version number for the Test Procedure (TP)

\*\*\*Indicates the version number for the Test Data (TD)





### 3.2.7 2014 Clinical Quality Measures\*

Type of Clinical Quality Measures Successfully Tested:

- Ambulatory
- Inpatient
- No CQMs tested

\*For a list of the 2014 Clinical Quality Measures, please reference <http://www.cms.gov> (navigation: 2014 Clinical Quality Measures)

Ambulatory CQMs							
CMS ID	Version	CMS ID	Version	CMS ID	Version	CMS ID	Version
<input type="checkbox"/> 2		<input type="checkbox"/> 90		<input type="checkbox"/> 136		<input type="checkbox"/> 155	
<input type="checkbox"/> 22		<input type="checkbox"/> 117		<input type="checkbox"/> 137		<input type="checkbox"/> 156	
<input type="checkbox"/> 50		<input type="checkbox"/> 122		<input type="checkbox"/> 138		<input type="checkbox"/> 157	
<input type="checkbox"/> 52		<input type="checkbox"/> 123		<input type="checkbox"/> 139		<input type="checkbox"/> 158	
<input type="checkbox"/> 56		<input type="checkbox"/> 124		<input type="checkbox"/> 140		<input type="checkbox"/> 159	
<input type="checkbox"/> 61		<input type="checkbox"/> 125		<input type="checkbox"/> 141		<input type="checkbox"/> 160	
<input type="checkbox"/> 62		<input type="checkbox"/> 126		<input type="checkbox"/> 142		<input type="checkbox"/> 161	
<input type="checkbox"/> 64		<input type="checkbox"/> 127		<input type="checkbox"/> 143		<input type="checkbox"/> 163	
<input type="checkbox"/> 65		<input type="checkbox"/> 128		<input type="checkbox"/> 144		<input type="checkbox"/> 164	
<input type="checkbox"/> 66		<input type="checkbox"/> 129		<input type="checkbox"/> 145		<input type="checkbox"/> 165	
<input type="checkbox"/> 68		<input type="checkbox"/> 130		<input type="checkbox"/> 146		<input type="checkbox"/> 166	
<input type="checkbox"/> 69		<input type="checkbox"/> 131		<input type="checkbox"/> 147		<input type="checkbox"/> 167	
<input type="checkbox"/> 74		<input type="checkbox"/> 132		<input type="checkbox"/> 148		<input type="checkbox"/> 169	
<input type="checkbox"/> 75		<input type="checkbox"/> 133		<input type="checkbox"/> 149		<input type="checkbox"/> 177	
<input type="checkbox"/> 77		<input type="checkbox"/> 134		<input type="checkbox"/> 153		<input type="checkbox"/> 179	
<input type="checkbox"/> 82		<input type="checkbox"/> 135		<input type="checkbox"/> 154		<input type="checkbox"/> 182	

Inpatient CQMs							
CMS ID	Version	CMS ID	Version	CMS ID	Version	CMS ID	Version
<input type="checkbox"/> 9		<input type="checkbox"/> 71		<input type="checkbox"/> 107		<input type="checkbox"/> 172	
<input type="checkbox"/> 26		<input type="checkbox"/> 72		<input type="checkbox"/> 108		<input type="checkbox"/> 178	
<input type="checkbox"/> 30		<input type="checkbox"/> 73		<input type="checkbox"/> 109		<input type="checkbox"/> 185	
<input type="checkbox"/> 31		<input type="checkbox"/> 91		<input type="checkbox"/> 110		<input type="checkbox"/> 188	
<input type="checkbox"/> 32		<input type="checkbox"/> 100		<input type="checkbox"/> 111		<input type="checkbox"/> 190	
<input type="checkbox"/> 53		<input type="checkbox"/> 102		<input type="checkbox"/> 113			
<input type="checkbox"/> 55		<input type="checkbox"/> 104		<input type="checkbox"/> 114			
<input type="checkbox"/> 60		<input type="checkbox"/> 105		<input type="checkbox"/> 171			



### 3.2.8 Automated Numerator Recording and Measure Calculation

#### 3.2.8.1 Automated Numerator Recording

Automated Numerator Recording Successfully Tested			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(9)	<input type="checkbox"/> (a)(16)	<input type="checkbox"/> (b)(6)
<input type="checkbox"/> (a)(3)	<input type="checkbox"/> (a)(11)	<input type="checkbox"/> (a)(17)	<input type="checkbox"/> (e)(1)
<input type="checkbox"/> (a)(4)	<input type="checkbox"/> (a)(12)	<input type="checkbox"/> (b)(2)	<input type="checkbox"/> (e)(2)
<input type="checkbox"/> (a)(5)	<input type="checkbox"/> (a)(13)	<input type="checkbox"/> (b)(3)	<input type="checkbox"/> (e)(3)
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (a)(14)	<input type="checkbox"/> (b)(4)	
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (a)(15)	<input type="checkbox"/> (b)(5)	

Automated Numerator Recording was not tested

#### 3.2.8.2 Automated Measure Calculation

Automated Measure Calculation Successfully Tested			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(9)	<input type="checkbox"/> (a)(16)	<input type="checkbox"/> (b)(6)
<input type="checkbox"/> (a)(3)	<input type="checkbox"/> (a)(11)	<input type="checkbox"/> (a)(17)	<input type="checkbox"/> (e)(1)
<input type="checkbox"/> (a)(4)	<input type="checkbox"/> (a)(12)	<input type="checkbox"/> (b)(2)	<input type="checkbox"/> (e)(2)
<input type="checkbox"/> (a)(5)	<input type="checkbox"/> (a)(13)	<input type="checkbox"/> (b)(3)	<input type="checkbox"/> (e)(3)
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (a)(14)	<input type="checkbox"/> (b)(4)	
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (a)(15)	<input type="checkbox"/> (b)(5)	

Automated Measure Calculation was not tested

#### 3.2.9 Attestation

Attestation Forms (as applicable)	Appendix
<input type="checkbox"/> Safety-Enhanced Design*	A
<input checked="" type="checkbox"/> Quality Management System**	B
<input type="checkbox"/> Privacy and Security	C

\*Required if any of the following were tested: (a)(1), (a)(2), (a)(6), (a)(7), (a)(8), (a)(16), (b)(3), (b)(4)

\*\*Required for every EHR product

### 3.3 Appendices

Attached below.



### Test Results Summary Change History

Test Report ID	Description of Change	Date

## 2014 Edition Test Report Summary

## Quality Management System

eTransX uses Mantis Bug Tracker (MantisBT), an open source software for managing quality of software during the development and maintenance of all of eTransX' products. The development team (DT) and the quality assurance team (QA) have specific responsibilities to ensure the software components stability and usability. The development team performs unit testing and extended unit stress testing while building the code. Supervisors review the code on every stage for quality and proper documentation. QA team prepares test cases and the test plan for the product. QA team logs the issues (Bug tickets) identified during the testing process by providing as a minimum

- a description of the issue
- whether the problem can be reproduced (always, sometimes, randomly)
- the severity of the problem, on a scale starting at trivial and going up to major, crash, and block
- the priority of the problem, ranging from low to urgent and immediate

The issue is logged with product information, component detail, test case scenario, input data and the screen shots of the error. The tester also describes the sequence of how to recreate the issue. MantisBT immediately notifies the developer and his supervisor. The supervisor reviews the issue and work with the developer to correct the issue and updates the system. This process goes iteratively until all issues are resolved properly. After the first level of testing, the product goes through few more rounds of 'release' testing before the product is released.

Sincerely,



P.Mohan  
President