



ONC HIT Certification Program Test Results Summary for 2014 Edition EHR Certification

Part 1: Product and Developer Information

1.1 Certified Product Information

Product Name: [gGastro](#)
Product Version: [Version 4.58](#)
Domain: [Ambulatory](#)
Test Type: [Complete EHR](#)

1.2 Developer/Vendor Information

Developer/Vendor Name: [gMed, Inc.](#)
Address: [2125 North Commerce Parkway Weston FL 33327](#)
Website: [www.gmed.com](#)
Email: marinas@gmed.com
Phone: [954-659-9310](#)
Developer/Vendor Contact: [Marina Simonian](#)



Part 2: ONC-Authorized Certification Body Information

2.1 ONC-Authorized Certification Body Information

ONC-ACB Name: Drummond Group
Address: 13359 North Hwy 183, Ste B-406-238, Austin, TX 78750
Website: www.drummondgroup.com
Email: ehr@drummondgroup.com
Phone: (512) 599-1817
ONC-ACB Contact: Jodi Gonzalez

This test results summary is approved for public release by the following ONC-Authorized Certification Body Representative:

Jodi Gonzalez
ONC-ACB Authorized Representative

Certification Body Manager
Function/Title

10/8/2015

Signature and Date

2.2 Gap Certification

The following identifies criterion or criteria certified via gap certification

§170.314			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(19)	<input type="checkbox"/> (d)(6)	<input type="checkbox"/> (h)(1)
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (a)(20)	<input type="checkbox"/> (d)(8)	<input type="checkbox"/> (h)(2)
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (b)(5)*	<input type="checkbox"/> (d)(9)	<input type="checkbox"/> (h)(3)
<input type="checkbox"/> (a)(17)	<input type="checkbox"/> (d)(1)	<input type="checkbox"/> (f)(1)	
<input type="checkbox"/> (a)(18)	<input type="checkbox"/> (d)(5)	<input type="checkbox"/> (f)(7)**	

*Gap certification allowed for Inpatient setting only

**Gap certification allowed for Ambulatory setting only

No gap certification



2.3 Inherited Certification

The following identifies criterion or criteria certified via inherited certification

§170.314			
<input checked="" type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(16) <i>Inpt. only</i>	<input type="checkbox"/> (c)(2)	<input checked="" type="checkbox"/> (f)(2)
<input checked="" type="checkbox"/> (a)(2)	<input type="checkbox"/> (a)(17) <i>Inpt. only</i>	<input type="checkbox"/> (c)(3)	<input checked="" type="checkbox"/> (f)(3)
<input checked="" type="checkbox"/> (a)(3)	<input type="checkbox"/> (a)(18)	<input checked="" type="checkbox"/> (d)(1)	<input type="checkbox"/> (f)(4) <i>Inpt. only</i>
<input checked="" type="checkbox"/> (a)(4)	<input type="checkbox"/> (a)(19)	<input checked="" type="checkbox"/> (d)(2)	<input type="checkbox"/> (f)(5) <i>Amb. only</i>
<input checked="" type="checkbox"/> (a)(5)	<input type="checkbox"/> (a)(20)	<input checked="" type="checkbox"/> (d)(3)	
<input checked="" type="checkbox"/> (a)(6)	<input checked="" type="checkbox"/> (b)(1)	<input checked="" type="checkbox"/> (d)(4)	<input type="checkbox"/> (f)(6) <i>Amb. only</i>
<input checked="" type="checkbox"/> (a)(7)	<input checked="" type="checkbox"/> (b)(2)	<input checked="" type="checkbox"/> (d)(5)	
<input checked="" type="checkbox"/> (a)(8)	<input checked="" type="checkbox"/> (b)(3)	<input checked="" type="checkbox"/> (d)(6)	<input type="checkbox"/> (f)(7)
<input checked="" type="checkbox"/> (a)(9)	<input checked="" type="checkbox"/> (b)(4)	<input checked="" type="checkbox"/> (d)(7)	<input type="checkbox"/> (g)(1)
<input checked="" type="checkbox"/> (a)(10)	<input checked="" type="checkbox"/> (b)(5)	<input checked="" type="checkbox"/> (d)(8)	<input type="checkbox"/> (g)(2)
<input checked="" type="checkbox"/> (a)(11)	<input type="checkbox"/> (b)(6) <i>Inpt. only</i>	<input type="checkbox"/> (d)(9) <i>Optional</i>	<input checked="" type="checkbox"/> (g)(3)
<input checked="" type="checkbox"/> (a)(12)	<input checked="" type="checkbox"/> (b)(7)	<input type="checkbox"/> (e)(1)	<input checked="" type="checkbox"/> (g)(4)
<input checked="" type="checkbox"/> (a)(13)	<input type="checkbox"/> (b)(8)	<input checked="" type="checkbox"/> (e)(2) <i>Amb. only</i>	<input type="checkbox"/> (h)(1)
<input checked="" type="checkbox"/> (a)(14)	<input type="checkbox"/> (b)(9)	<input checked="" type="checkbox"/> (e)(3) <i>Amb. only</i>	<input type="checkbox"/> (h)(2)
<input checked="" type="checkbox"/> (a)(15)	<input type="checkbox"/> (c)(1)	<input checked="" type="checkbox"/> (f)(1)	<input type="checkbox"/> (h)(3)

No inherited certification



Part 3: NVLAP-Accredited Testing Laboratory Information

Report Number: [SG-10072015-446-1](#)

Test Date(s): [10/7/2015](#)

3.1 NVLAP-Accredited Testing Laboratory Information

ATL Name: Drummond Group EHR Test Lab
Accreditation Number: NVLAP Lab Code 200979-0
Address: 13359 North Hwy 183, Ste B-406-238, Austin, TX 78750
Website: www.drummondgroup.com
Email: ehr@drummondgroup.com
Phone: 817-709-1627
ATL Contact: Kyle Meadors

For more information on scope of accreditation, please reference [NVLAP site](#).

Part 3 of this test results summary is approved for public release by the following Accredited Testing Laboratory Representative:

[Sonia Galvan](#)

ATL Authorized Representative

10/8/2015

Signature and Date

Test Proctor

Function/Title

[Houston, TX](#)

Location Where Test Conducted

3.2 Test Information

3.2.1 Additional Software Relied Upon for Certification

Additional Software	Applicable Criteria	Functionality provided by Additional Software
Secure Exchange Solutions	170.314.b.1, 2; 170.314.e.1	HISP
DrFirst Rcopia	170.314.b.3	E-prescribing vendor
Health Language	170.314.a.13; 170.314.b.5	Medical Content Provider
LDM Group	170.314.a.15	Patient Education Provider

No additional software required



3.2.2 Test Tools

Test Tool	Version
<input checked="" type="checkbox"/> Cypress	<input type="text" value="2.6"/>
<input checked="" type="checkbox"/> ePrescribing Validation Tool	<input type="text" value="1.0.5"/>
<input type="checkbox"/> HL7 CDA Cancer Registry Reporting Validation Tool	<input type="text" value="1.0.3"/>
<input type="checkbox"/> HL7 v2 Electronic Laboratory Reporting (ELR) Validation Tool	<input type="text" value="1.8.2"/>
<input checked="" type="checkbox"/> HL7 v2 Immunization Information System (IIS) Reporting Validation Tool	<input type="text" value="1.8.2"/>
<input checked="" type="checkbox"/> HL7 v2 Laboratory Results Interface (LRI) Validation Tool	<input type="text" value="1.7.2"/>
<input checked="" type="checkbox"/> HL7 v2 Syndromic Surveillance Reporting Validation Tool	<input type="text" value="1.7.2"/>
<input checked="" type="checkbox"/> Transport Testing Tool	<input type="text" value="181"/>
<input checked="" type="checkbox"/> Direct Certificate Discovery Tool	<input type="text" value="3.0.4"/>
<input type="checkbox"/> Edge Testing Tool	<input type="text" value="0.0.5"/>

No test tools required

3.2.3 Test Data

Alteration (customization) to the test data was necessary and is described in Appendix [insert appendix letter]

No alteration (customization) to the test data was necessary

3.2.4 Standards

3.2.4.1 Multiple Standards Permitted

The following identifies the standard(s) that has been successfully tested where more than one standard is permitted

Criterion #	Standard Successfully Tested	
(a)(8)(ii)(A)(2)	<input checked="" type="checkbox"/> §170.204(b)(1) HL7 Version 3 Implementation Guide: URL-Based Implementations of the Context-Aware Information Retrieval (Infobutton) Domain	<input type="checkbox"/> §170.204(b)(2) HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton) Service-Oriented Architecture Implementation Guide
(a)(13)	<input checked="" type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release	<input type="checkbox"/> §170.207(j) HL7 Version 3 Standard: Clinical Genomics; Pedigree

Criterion #	Standard Successfully Tested	
(a)(15)(i)	<input checked="" type="checkbox"/> §170.204(b)(1) HL7 Version 3 Implementation Guide: URL-Based Implementations of the Context-Aware Information Retrieval (Infobutton) Domain	<input type="checkbox"/> §170.204(b)(2) HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton) Service-Oriented Architecture Implementation Guide
(a)(16)(ii)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 3 (RFC 1305)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 4 (RFC 5905)
(b)(2)(i)(A)	<input type="checkbox"/> §170.207(i) The code set specified at 45 CFR 162.1002(c)(2) (ICD-10-CM) for the indicated conditions	<input checked="" type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release
(b)(7)(i)	<input type="checkbox"/> §170.207(i) The code set specified at 45 CFR 162.1002(c)(2) (ICD-10-CM) for the indicated conditions	<input checked="" type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release
(b)(8)(i)	<input type="checkbox"/> §170.207(i) The code set specified at 45 CFR 162.1002(c)(2) (ICD-10-CM) for the indicated conditions	<input type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release
(e)(1)(i)	Annex A of the FIPS Publication 140-2 <i>[list encryption and hashing algorithms]</i> <input type="text" value="AES-256"/> <input type="text" value="SHA-256"/>	
(e)(1)(ii)(A)(2)	<input type="checkbox"/> §170.210(g) Network Time Protocol Version 3 (RFC 1305)	<input checked="" type="checkbox"/> §170.210(g) Network Time Protocol Version 4 (RFC 5905)
(e)(3)(ii)	Annex A of the FIPS Publication 140-2 <i>[list encryption and hashing algorithms]</i> <input type="text" value="AES-256"/> <input type="text" value="SHA-256"/>	
Common MU Data Set (15)	<input checked="" type="checkbox"/> §170.207(a)(3) IHTSDO SNOMED CT® International Release July 2012 and US Extension to SNOMED CT® March 2012 Release	<input type="checkbox"/> §170.207(b)(2) The code set specified at 45 CFR 162.1002(a)(5) (HCPCS and CPT-4)

Criterion #	Standard Successfully Tested
-------------	------------------------------

None of the criteria and corresponding standards listed above are applicable

3.2.4.2 Newer Versions of Standards

The following identifies the newer version of a minimum standard(s) that has been successfully tested

Newer Version	Applicable Criteria

No newer version of a minimum standard was tested

3.2.5 Optional Functionality

Criterion #	Optional Functionality Successfully Tested
<input type="checkbox"/> (a)(4)(iii)	Plot and display growth charts
<input type="checkbox"/> (b)(1)(i)(B)	Receive summary care record using the standards specified at §170.202(a) and (b) (Direct and XDM Validation)
<input type="checkbox"/> (b)(1)(i)(C)	Receive summary care record using the standards specified at §170.202(b) and (c) (SOAP Protocols)
<input type="checkbox"/> (b)(2)(ii)(B)	Transmit health information to a Third Party using the standards specified at §170.202(a) and (b) (Direct and XDM Validation)
<input type="checkbox"/> (b)(2)(ii)(C)	Transmit health information to a Third Party using the standards specified at §170.202(b) and (c) (SOAP Protocols)
<input type="checkbox"/> (e)(1)	View, download and transmit data to a third party utilizing the Edge Protocol IG version 1.1
<input type="checkbox"/> (f)(3)	Ambulatory setting only – Create syndrome-based public health surveillance information for transmission using the standard specified at §170.205(d)(3) (urgent care visit scenario)
<input type="checkbox"/> (f)(7)	Ambulatory setting only – transmission to public health agencies – syndromic surveillance - Create Data Elements
<input type="checkbox"/> Common MU Data Set (15)	Express Procedures according to the standard specified at §170.207(b)(3) (45 CFR162.1002(a)(4): Code on Dental Procedures and Nomenclature)
<input type="checkbox"/> Common MU Data Set (15)	Express Procedures according to the standard specified at §170.207(b)(4) (45 CFR162.1002(c)(3): ICD-10-PCS)

No optional functionality tested



3.2.6 2014 Edition Certification Criteria* Successfully Tested

Criteria #	Version		Criteria #	Version	
	TP**	TD***		TP	TD
<input type="checkbox"/> (a)(1)	1.3	1.5	<input checked="" type="checkbox"/> (c)(3)	1.11	1.11
<input type="checkbox"/> (a)(2)	1.2		<input type="checkbox"/> (d)(1)	1.2	
<input type="checkbox"/> (a)(3)	1.2	1.4	<input type="checkbox"/> (d)(2)	1.6	
<input type="checkbox"/> (a)(4)	1.4	1.3	<input type="checkbox"/> (d)(3)	1.3	
<input type="checkbox"/> (a)(5)	1.4	1.3	<input type="checkbox"/> (d)(4)	1.3	
<input type="checkbox"/> (a)(6)	1.3	1.4	<input type="checkbox"/> (d)(5)	1.2	
<input type="checkbox"/> (a)(7)	1.3	1.3	<input type="checkbox"/> (d)(6)	1.2	
<input type="checkbox"/> (a)(8)	1.3		<input type="checkbox"/> (d)(7)	1.2	
<input type="checkbox"/> (a)(9)	1.3	1.3	<input type="checkbox"/> (d)(8)	1.2	
<input type="checkbox"/> (a)(10)	1.2	1.4	<input type="checkbox"/> (d)(9) <i>Optional</i>	1.2	
<input type="checkbox"/> (a)(11)	1.3		<input checked="" type="checkbox"/> (e)(1)	1.11	1.5
<input type="checkbox"/> (a)(12)	1.3		<input type="checkbox"/> (e)(2) <i>Amb. only</i>	1.2	1.6
<input type="checkbox"/> (a)(13)	1.2		<input type="checkbox"/> (e)(3) <i>Amb. only</i>	1.3	
<input type="checkbox"/> (a)(14)	1.2		<input type="checkbox"/> (f)(1)	1.2	1.2
<input type="checkbox"/> (a)(15)	1.5		<input type="checkbox"/> (f)(2)	1.3	1.3
<input type="checkbox"/> (a)(16) <i>Inpt. only</i>	1.3	1.2	<input type="checkbox"/> (f)(3)	1.3	1.3
<input type="checkbox"/> (a)(17) <i>Inpt. only</i>	1.2		<input type="checkbox"/> (f)(4) <i>Inpt. only</i>	1.3	1.3
<input type="checkbox"/> (a)(18)	1.1	1.5	<input type="checkbox"/> (f)(5) <i>Amb. only</i>	1.2	1.2
<input type="checkbox"/> (a)(19)	1.1	1.5			
<input type="checkbox"/> (a)(20)	1.1	1.5	<input type="checkbox"/> (f)(6) <i>Amb. only</i>	1.4	1.4
<input type="checkbox"/> (b)(1)	1.7	1.4			
<input type="checkbox"/> (b)(2)	1.4	1.6	<input type="checkbox"/> (f)(7) <i>Amb. only</i>	1.1	
<input type="checkbox"/> (b)(3)	1.4	1.4	<input type="checkbox"/> (g)(1)	2.0	2.0
<input type="checkbox"/> (b)(4)	1.3	1.4	<input checked="" type="checkbox"/> (g)(2)	2.0	2.0
<input type="checkbox"/> (b)(5)	1.4	1.2	<input type="checkbox"/> (g)(3)	1.4	
<input type="checkbox"/> (b)(6) <i>Inpt. only</i>	1.3	1.3	<input type="checkbox"/> (g)(4)	1.2	
<input type="checkbox"/> (b)(7)	1.4	1.7	<input type="checkbox"/> (h)(1)	1.1	
<input type="checkbox"/> (b)(8)	1.2	1.2	<input type="checkbox"/> (h)(2)	1.1	
<input type="checkbox"/> (b)(9)	1.1	1.1	<input type="checkbox"/> (h)(3)	1.1	
<input checked="" type="checkbox"/> (c)(1)	1.11	1.11			
<input checked="" type="checkbox"/> (c)(2)	1.11	1.11			



Criteria #	Version		Criteria #	Version	
	TP**	TD***		TP	TD

No criteria tested

*For a list of the 2014 Edition Certification Criteria, please reference <http://www.healthit.gov/certification> (navigation: 2014 Edition Test Method)

**Indicates the version number for the Test Procedure (TP)

***Indicates the version number for the Test Data (TD)



3.2.7 2014 Clinical Quality Measures*

Type of Clinical Quality Measures Successfully Tested:

- Ambulatory
- Inpatient
- No CQMs tested

*For a list of the 2014 Clinical Quality Measures, please see the CMS [eCQM Library](#)
(Navigation: June 2014 and April 2014 Updates)

Ambulatory CQMs							
CMS ID	Version	CMS ID	Version	CMS ID	Version	CMS ID	Version
<input type="checkbox"/> 2		<input type="checkbox"/> 90		<input type="checkbox"/> 136		<input type="checkbox"/> 155	
<input type="checkbox"/> 22		<input type="checkbox"/> 117		<input type="checkbox"/> 137		<input checked="" type="checkbox"/> 156	v2
<input checked="" type="checkbox"/> 50	v2	<input checked="" type="checkbox"/> 122	v2	<input checked="" type="checkbox"/> 138	v3	<input type="checkbox"/> 157	
<input type="checkbox"/> 52		<input type="checkbox"/> 123		<input type="checkbox"/> 139		<input type="checkbox"/> 158	
<input type="checkbox"/> 56		<input type="checkbox"/> 124		<input type="checkbox"/> 140		<input type="checkbox"/> 159	
<input type="checkbox"/> 61		<input type="checkbox"/> 125		<input type="checkbox"/> 141		<input type="checkbox"/> 160	
<input checked="" type="checkbox"/> 62	v2	<input checked="" type="checkbox"/> 126	v2	<input type="checkbox"/> 142		<input type="checkbox"/> 161	
<input type="checkbox"/> 64		<input checked="" type="checkbox"/> 127	v3	<input type="checkbox"/> 143		<input checked="" type="checkbox"/> 163	v2
<input type="checkbox"/> 65		<input type="checkbox"/> 128		<input type="checkbox"/> 144		<input checked="" type="checkbox"/> 164	v2
<input type="checkbox"/> 66		<input type="checkbox"/> 129		<input type="checkbox"/> 145		<input checked="" type="checkbox"/> 165	v2
<input checked="" type="checkbox"/> 68	v3	<input checked="" type="checkbox"/> 130	v2	<input type="checkbox"/> 146		<input type="checkbox"/> 166	
<input checked="" type="checkbox"/> 69	v2	<input type="checkbox"/> 131		<input type="checkbox"/> 147		<input type="checkbox"/> 167	
<input type="checkbox"/> 74		<input type="checkbox"/> 132		<input type="checkbox"/> 148		<input type="checkbox"/> 169	
<input type="checkbox"/> 75		<input type="checkbox"/> 133		<input type="checkbox"/> 149		<input type="checkbox"/> 177	
<input type="checkbox"/> 77		<input type="checkbox"/> 134		<input type="checkbox"/> 153		<input type="checkbox"/> 179	
<input type="checkbox"/> 82		<input type="checkbox"/> 135		<input type="checkbox"/> 154		<input type="checkbox"/> 182	

Inpatient CQMs							
CMS ID	Version	CMS ID	Version	CMS ID	Version	CMS ID	Version
<input type="checkbox"/> 9		<input type="checkbox"/> 71		<input type="checkbox"/> 107		<input type="checkbox"/> 172	
<input type="checkbox"/> 26		<input type="checkbox"/> 72		<input type="checkbox"/> 108		<input type="checkbox"/> 178	
<input type="checkbox"/> 30		<input type="checkbox"/> 73		<input type="checkbox"/> 109		<input type="checkbox"/> 185	
<input type="checkbox"/> 31		<input type="checkbox"/> 91		<input type="checkbox"/> 110		<input type="checkbox"/> 188	
<input type="checkbox"/> 32		<input type="checkbox"/> 100		<input type="checkbox"/> 111		<input type="checkbox"/> 190	
<input type="checkbox"/> 53		<input type="checkbox"/> 102		<input type="checkbox"/> 113			
<input type="checkbox"/> 55		<input type="checkbox"/> 104		<input type="checkbox"/> 114			
<input type="checkbox"/> 60		<input type="checkbox"/> 105		<input type="checkbox"/> 171			



3.2.8 Automated Numerator Recording and Measure Calculation

3.2.8.1 Automated Numerator Recording

Automated Numerator Recording Successfully Tested			
<input type="checkbox"/> (a)(1)	<input type="checkbox"/> (a)(11)	<input type="checkbox"/> (a)(18)	<input type="checkbox"/> (b)(6)
<input type="checkbox"/> (a)(3)	<input type="checkbox"/> (a)(12)	<input type="checkbox"/> (a)(19)	<input type="checkbox"/> (b)(8)
<input type="checkbox"/> (a)(4)	<input type="checkbox"/> (a)(13)	<input type="checkbox"/> (a)(20)	<input type="checkbox"/> (b)(9)
<input type="checkbox"/> (a)(5)	<input type="checkbox"/> (a)(14)	<input type="checkbox"/> (b)(2)	<input type="checkbox"/> (e)(1)
<input type="checkbox"/> (a)(6)	<input type="checkbox"/> (a)(15)	<input type="checkbox"/> (b)(3)	<input type="checkbox"/> (e)(2)
<input type="checkbox"/> (a)(7)	<input type="checkbox"/> (a)(16)	<input type="checkbox"/> (b)(4)	<input type="checkbox"/> (e)(3)
<input type="checkbox"/> (a)(9)	<input type="checkbox"/> (a)(17)	<input type="checkbox"/> (b)(5)	

Automated Numerator Recording was not tested

3.2.8.2 Automated Measure Calculation

Automated Measure Calculation Successfully Tested			
<input checked="" type="checkbox"/> (a)(1)	<input checked="" type="checkbox"/> (a)(11)	<input type="checkbox"/> (a)(18)	<input type="checkbox"/> (b)(6)
<input checked="" type="checkbox"/> (a)(3)	<input checked="" type="checkbox"/> (a)(12)	<input type="checkbox"/> (a)(19)	<input type="checkbox"/> (b)(8)
<input checked="" type="checkbox"/> (a)(4)	<input checked="" type="checkbox"/> (a)(13)	<input type="checkbox"/> (a)(20)	<input type="checkbox"/> (b)(9)
<input checked="" type="checkbox"/> (a)(5)	<input checked="" type="checkbox"/> (a)(14)	<input checked="" type="checkbox"/> (b)(2)	<input checked="" type="checkbox"/> (e)(1)
<input checked="" type="checkbox"/> (a)(6)	<input checked="" type="checkbox"/> (a)(15)	<input checked="" type="checkbox"/> (b)(3)	<input checked="" type="checkbox"/> (e)(2)
<input checked="" type="checkbox"/> (a)(7)	<input type="checkbox"/> (a)(16)	<input checked="" type="checkbox"/> (b)(4)	<input checked="" type="checkbox"/> (e)(3)
<input checked="" type="checkbox"/> (a)(9)	<input type="checkbox"/> (a)(17)	<input checked="" type="checkbox"/> (b)(5)	

Automated Measure Calculation was not tested

3.2.9 Attestation

Attestation Forms (as applicable)	Appendix
<input checked="" type="checkbox"/> Safety-Enhanced Design*	A
<input checked="" type="checkbox"/> Quality Management System**	B
<input checked="" type="checkbox"/> Privacy and Security	C

*Required if any of the following were tested: (a)(1), (a)(2), (a)(6), (a)(7), (a)(8), (a)(16), (a)(18), (a)(19), (a)(20), (b)(3), (b)(4), (b)(9).

**Required for every EHR product

3.3 Appendices

Attached below.



Test Results Summary Change History

Test Report ID	Description of Change	Date

2014 Edition Test Report Summary